

United States Department of Agriculture

Food Safety and Inspection Service

Washington, D. C. 20250

То:	RICARDO DE LOS SANTOS	
From:		
Date:	4/13/2012	
Meeting Start Time:	8:30 AM	
FSA:		
Open NRs:		
NRs Under Appeal:		
Subject:	Establishment Weekly Meeting	
The meeting was hel	d in the establishment front office 0835 -0840 hours MDT	
Company Attendees	: Mr. Rick De Los Santos, owner	
	Or. SPHV/IIC skly meetings have been held since 3/30/12 as the establishment has not be perations. No offical operations 4/2-4/13.	een .
Sampling:		
FSIS: None.		
Establishment: E. co	li O157:H7 negative for beef trim and ground product samples collected W	leek 13.
SPHV reported company had not protect those on the last MC Los Santos reported	e meeting, SPHV asked Mr. Rick De Los Santos if the company hards. Mr. De Los Santos asked if SPHV meant the NR for ice condensed she was referring to all open NRs. Mr. De Los Santos asked if there were ovided written responses to, and SPHV reported the status would be with the exception of the humane handling NR which was answered on the had not reviewed any other NRs since providing the written response full check the last MOI.	sate and re any the e the same as W5/12. Mr. De
0 new NR, 5 in verific	cation,. In total: 6 OPEN noncompliance records.	
Open and no writter	n response yet provided:	
YJL4310035729N: F	Pre-op insanitary saw and grinder 3/29. OPEN. No written response yet pro	wided.
Open and in verifica	ation:	

YJL0111113528N: Ice condensate on freezer curtains and floor 11/28: OPEN. A written response has been provided; however SPHV hasobserved the continued presence of ice condensate on curtain flaps and freezer floor. During the meeting, SPHV reported inspection review and observation verification in the freezer would need to be performed today in relation to the ongoing condensate issue. Mr. De Los Santos requested Mr. Eddie De Los Santos accompany SPHV to the freezer for the review whenever SPHV was ready to perform the review and observation.

YJL5510013305N: Cracks and gouges with meat particles and residue observed during pre-operational sanitation verification 1/5. OPEN. Written response provided 2/6 and will be left open to verify the table belt is repaired or replaced. Mr. De Los Santos had reported the belt will be replaced with the facility upgrades for equine operations. During the previous meeting, Mr. De Los Santos reported he was not sure what the company would be doing with the belt; maybe cutting it off, as they did not have any foreseeable processing operations.

YJL3909032601N: Rust on carcass wash walls 3/1. OPEN. Written response provided 3/26 and will remain open to verify re-training of slaughter pre-operational sanitation of monitoring is effective. No inspected slaughter operations have occurred since receipt of the written response.

YJL2012031322N: Meat particles on rolling table belt during pre-op inspection 3/22. OPEN. Written response provided 3/23 and will be left open to verify the verification of the monitoring for the next two procedure days. During the previous meeting, SPHV reported the company had not followed the written further planned actions and that the same QC had been verifying operations; the NR will be left open until further planned actions are verified.

YJL0216021924N: Humane handling slips and falls of 3 beef cows 2/24: OPEN. A written response was provided 4/5/12. At the time of provision, Mr. De Los Santos stated the NR would need to be left open until FSIS could observe live animal movement and verify the functionality of the new pen footing and SPHV confirmed.

Old Business:

1. Slaughter volume: SPHV asked Mr. De Los Santos during the meeting what the establishment inspection needs would be for next week (Week 16) and in the future. Mr. De Los Santos reported the establishment would not be operating next week.

Mr. De Los Santos reported that on 4/9/12 he had arranged a site visit with DDM Anna Gallegos and establishment partners for 4/19/12, but had received a message from DDM Gallegos on 4/12, left on 4/10, which reported DDM Gallegos would not be able to attend the site visit on 4/19/12 and she would be out on military leave on 4/13. Mr. De Los Santos also stated DDM Gallegos had advised Mr. De Los Santos in the message to request a walkthrough with FLS and SPHV if the facility was ready. During the meeting, Mr. De Los Santos reported his partners were still scheduled to visit on 4/19/12 and he thought the facility

would be ready for a walkthrough on that date. SPHV and advised Mr. De Los Santos to contact FLS to discuss a walkthrough. SPHV explained she was not aware of FLS and requestion assignments.
SPHV asked Mr. De Los Santos to confirm that aside from the potential facility walkthrough, no inspection coverage would be needed for inspected operations next week. Mr. De Los Santos reported the establishment would not need inspection coverage next week, but he was unsure about future weeks. Mr. De Los Santos explained DDM Gallegos had reported the facility would not be able to use the 07299 number for equine operations and would need to drop the number before equine operations could occur. SPHV reminded Mr. De Los Santos she had mentioned in the very beginning of the establishment's interest in equine operations, the system might not allow for use of the same number or simultaneous grants. Mr. De Los Santos reported the establishment might continue to slaughter cattle while the establishment is working toward equine operations given they will need to drop the 07299 number all together.
SPHV thanked Mr. De Los Santos for the information and again advised him to contact FLS Mr. De Los Santos asked SPHV if she had FLS requests telephone number on hand, and SPHV provided Mr. De Los Santos with the following number for FLS (303)396-9239.
Plant Business: as discussed above
The meeting closed at 0840 hoursMDT
Addendum: At the time of printed delivery of this MOI, SPHV also also reported to Mr. Rick De Los Santos the establishment had one unanswered NR from 3/29 for processing pre-operational sanitation noncompliance. SPHV also also reported the freezer ice condensate persists on the doorway, plastic curtains, floor of doorway, and seams along the lighting lines.
Copies to:
Establishment Copy
PHIS Copy
File Copy
Ms Fish