

United States Department of Agriculture Animal and Plant Health Inspection Service

INSPECTION REPORT

NGEIB1 7250 cust id 293042 insp_id 5046 site_id

FELD ENTERTAINMENT INC **RINGLING BROS/BARNUM & BAILEY**

8607 WESTWOOD CENTER DRIVE VIENNA, VA 22182

Customer ID: 7250 Certificate: 52-C-0137

Site: TRA2

BLUE UNIT

Inspection Type: ROUTINE INSPECTION Date: MAY-24-2006

2.40 (b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

Section 2.40(b)(2) Veterinary care: Each exhibitor shall establish and maintain programs of adequate veterinary care that include the use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries, and the availability of emergency, weekend, and holiday care.

The elephant named Jewell has an abnormal gait and walks with a stiff left front leg. There were no records available initially during this inspection regarding this condition including an assessment by the attending veterinarian. During the inspection the attending veterinarian sent documentation that she examined Jewell last week and determined that she was normal. no lameness was observed. Additionally the veterinarian stated that any stiffness on the left front leg disappeared within a few minutes of walking around and requires no treatment. During this inspection Jewell was observed walking in a line with the other seven elephants for about seven minutes. The stiffness in the left front leg did not disappear as she walked.

Jewell's current condition needs to be addressed by the attending veterinarian to ensure the animal's health and well-being. Correct by May 31, 2006.

This inspection was conducted at the Giant Center in Hershey, PA.

Animal inventory: 2 alpacas, 2 Angora goats, 2 Zedonks and 8 elephants: Jewell, Juliette, Kelly, Bonnie, Sara, Minyak, Karen and Nichole:

alardino. Prepared By: USDA, APHIS, Animal Care

VETERINARY MEDICAL OFFICER , Inspector ID: 1021 · Title: **Received By:**

Title: VET TECH

Page 1 of 1

Date: MAY-24-2006

Date: MAY-24-2006



FEI 39550

p.1